

ISTRUZIONI DI MONTAGGIO

IT

FITTING INSTRUCTIONS

EN


INSTRUCTIONS DE MONTAGE

FR

إرشادات خاصة في تركيب

AR

Dr. Jekyll and Mr. Hyde



DJ & MH200-202 DJ220 Fissaggio rubinetto
Fixing tap
Fixation robinet




Step 01



DJ & MH200-202 DJ220 Fissaggio rubinetto
Fixing tap
Fixation robinet
تثبيت الحنفية


Step 02



MH200-202

Pulizia valvola
Valve cleaning
Nettoyage valve
تنظيف الصمام

Step 01



Step 02



MH200-202

Pulizia valvola
Valve cleaning
Nettoyage valve
تنظيف الصمام

Step 03



MH200-202

Pulizia valvola
Valve cleaning
Nettoyage valve
تنظيف الصمام

Step 04




Step 05




DJ-MH206

Step 01




Step 02




DJ-MH206


Step 03




Step 04




Step 05



Step 06




Step 07




DJ250

Step 01



Step 02





Step 03





DJ300



Step 01



Step 02




Step 03




DJ310


Step 01



Step 02




Step 03




DJ312

Step 01




Step 02





DJ312

Step 03




Step 04




DJ350


Step 01



Step 02



Step 03



IMPORTANT

Pressure & Temperature Requirements.

- ❖ Hot and cold water inlet pressures should be equal.
- ❖ Inlet pressure range: 150-1000 kPa
- ❖ New Regulation: -500 kPa maximum operating pressure at any outlet within a building.
(Ref. AS/NZS 3500.1-2003, Clause 3.3.4)
- ❖ Maximum hot water temperature: 80°C.



www.ibrubinetterie.it

iB Rubinetterie S.p.A.

Via dei Pianotti 3/5
25068 SAREZZO (BS) Italy
Ischr. Reg. Impr. BS 01785230986
R.E.A. BS 352087
P.IVA IT01785230986
Capitale Sociale € 420.000,00 i.v.
phone +39 030 802101
fax +39 030 803097
mail info@ibrubinetterie.it